Amendments to the Claims:

This listing of claims will replace all prior versions of claims in the application:

Listing of Claims:

- (Currently Amended) A device for placing a call in an elevator system, comprising:
 a surface that is manually touchable to indicate a desired call;
- a controller that determines whether the elevator system can respond to the desired call;

a responder that automatically provides a tactile confirmation of the desired call responsive to a signal from the controller once the controller determines that the elevator system can respond to the desired call.

- (Previously Presented) The device of claim 1, wherein the surface is supported on a moveable member that is manually moveable to indicate the desired call.
- (Previously Presented) The device of claim 2, wherein the responder comprises an
 automated mover that automatically moves the moveable member to provide the tactile
 confirmation.
- 4. (Previously Presented) The device of claim 3, comprising a housing that supports the moveable member such that the moveable member is manually moveable relative to the housing in at least one direction.

- (Previously Presented) The device of claim 4, wherein the automated mover moves the moveable member relative to the housing.
- (Previously Presented) The device of claim 4, wherein the automated mover moves the
 moveable member in a second direction relative to the housing.
- (Previously Presented) The device of claim 3, wherein the automated mover comprises a vibrating motor.
- (Previously Presented) The device of claim 3, wherein the automated mover moves responsive to a manual manipulation of the moveable member.
- 9. (Previously Presented) The device of claim 3, including a controller that determines when the moveable member has been moved and the automated mover moves responsive to the controller.
- 10. (Previously Presented) The device of claim 1, wherein the surface is capacitive and the device provides a call signal responsive to human contact with the surface.
- (Previously Presented) The device of claim 1, wherein the surface is supported on a hall call button that is adapted to be placed on a selected surface in a building.

- (Previously Presented) The device of claim 1, wherein the surface is supported on a car
 operating panel that is adapted to be placed in an elevator car.
- 13. (Currently Amended) A method of acknowledging that a call button signal has been received in an elevator system, comprising:

determining a desired call responsive to a call button signal;

determining whether the elevator system can respond to the desired call; and

providing a tactile confirmation at the call button to indicate that the elevator system can
respond to the desired call.

- 14. (Currently Amended) The method of claim 13, including automatically moving a surface that is touched by an individual-at-least-a-portion-of-the-call-button.
- (Previously Presented) The method of claim 13, including vibrating at least a portion of the call button.
- 16. (Previously Presented) The device of claim 11, wherein the surface is supported on a moveable member that is manually moveable to indicate the desired call.
- 17. (Previously Presented) The device of claim 16, wherein the responder comprises an automated mover that automatically moves the moveable member to provide the tactile confirmation.

- (Previously Presented) The device of claim 17, wherein the automated mover comprises a vibrating motor.
- (Previously Presented) The device of claim 12, wherein the surface is supported on a moveable member that is manually moveable to indicate the desired call.
- 20. (Previously Presented) The device of claim 19, wherein the responder comprises an automated mover that automatically moves the moveable member to provide the tactile confirmation.
- (Previously Presented) The device of claim 20, wherein the automated mover comprises a vibrating motor.